

## AF 20

Fast air purification in rooms of 20 m<sup>2</sup>\* – 40 m<sup>2</sup>: the compact AF 20 air purifier with H13 filtration and activated carbon reliably removes pathogens, fine dust, allergens and odours.



**Order no.** 1.024-820.0

- High air flow rate
- Sensor technology

### Technical data


<b>EAN code</b>		4054278899947
<b>Supply voltage</b>	<b>Ph / V / Hz</b>	1 / 100 - 240 / 50 - 60
<b>Connected load</b>	<b>W</b>	24
<b>Suitable room size</b>	<b>m<sup>2</sup></b>	up to 40
<b>Air throughput</b>	<b>m<sup>3</sup>/h</b>	up to 220
<b>Filter efficiency according to particle size</b>		0.3 µm >= 99.95 %
<b>Power settings</b>		3
<b>Colour</b>		White
<b>Weight without accessories</b>	<b>kg</b>	3
<b>Weight incl. packaging</b>	<b>kg</b>	4
<b>Dimensions (L × W × H)</b>	<b>mm</b>	220 × 220 × 346

### Equipment

<b>Dual filter system</b>	■
<b>Filter change indicator</b>	■
<b>Air quality display</b>	■
<b>Operation of the device with touch function</b>	■
<b>Automatic mode</b>	■
<b>Night mode</b>	■
<b>Locking function</b>	■
<b>Timer program</b>	■

■ included in the scope of supply.

\* Recommended room size based on a ceiling height of 3 m and air exchange three times an hour for operation at the highest performance level.



### High Protect 13 Filter

- For bonding odours and chemical vapours.



### Dual air inlet system

- Thanks to the air intake on both sides, a high air flow rate is guaranteed.



### Display

- Indication of the air quality in  $\mu\text{g}/\text{m}^3$  as well as the filter and device status.

## ACCESSORIES FOR AF 20 1.024-820.0



		Order no.	Description	
<b>AIR TREATMENT</b>				
Filter set AF 20	1	2.863-056.0	Strong performance, huge efficiency: The replacement filter kit for the AF 20 air purifier comprises H13 filter material and has an antibacterial-coated active carbon element.	■

■ Included in the scope of supply. □ Available accessories. ○ Detergents.