

NT 30/1 TACT L

Rugged, durable components and strong suction power: the NT 30/1 Tact wet and dry vacuum cleaner with innovative Tact filter cleaning system and 30-litre container, bumper and metal castors.



Order no.

1.148-201.0

- PES flat pleated filter
- Metal castors
- Antistatic preparation

Technical data

reeninear aata		
Air flow I/s Vacuum mbar Container content I Container material Rated input power Rated input power W Standard nominal width Rubber power cable length m Sound pressure level dB(A) Colour		4039784973299
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container content	I	30
Container material		Plastic
Rated input power	W	max. 1380
Standard nominal width		ID 35
Rubber power cable length	m	7.5
Sound pressure level	dB(A)	69
Colour		anthracite
Weight without accessories	kg	13.5
Weight incl. packaging	kg	17.9
Dimensions (L × W × H)	mm	560 × 370 × 580

Equipment		
Suction hose	m	2.5
Bend		Plastic
Suction tube	Piece(s) × mm	2 × 550 / Stainless steel
Filter bag	Piece(s)	1 / Fleece
Wet/dry floor nozzle	mm	360
Crevice nozzle		
Automatic cut-out features at max. filling quality		•
Antistatic preparation		
Flat pleated filter		PES
Filter cleaning		Tact automatic filter cleaning system
Sturdy bumper		•
Protection class		Ш
Stop swivel castor		
Testuded in the second of success.		

Included in the scope of supply.



Rugged container with bumpers and metal castors.

- Sturdy metal castors guarantee good manoeuvrability and unrestricted mobility on construction sites
- The rugged container protects the machine from bumps and knocks.



Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- The power cable is always stored safely for transport.



Removable filter casing

- With the detachable filter casing, removal and replacement of the filter is dust-free.
- It is impossible to insert the flat pleated filter incorrectly.

ACCESSORIES FOR NT 30/1 TACT L

1.148-201.0

1	2	3	4	5	6	7
8	9	10	11	12	13	14

		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UI	р то р			_
Flat pleated filter, PES				
Wet & Dry flat pleated filter	1	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	3
Flat pleated filter, paper		1		-
Dry flat pleated filter	2	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	
Flat pleated filter, PTFE				
Ultimate flat pleated filter	3	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	4	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	5	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	6	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, advanced plastic, DN 35	7	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	
Wet/dry floor nozzle, standard plastic, DN 35	8	2.889-173.0	300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	
Combi-nozzle, DN 35, 270 mm	9	6.906-511.0	Combination floor tool with changeover function, plastic (272 mm). With stainless steel base plate, thread catcher 6.905-417.0 and DN 35 connection.	
Wet/dry floor nozzle, plastic as standard, DN 35	10	6.906-512.0	Wet/dry floor nozzle made from plastic in DN 35 for wet and dry vacuum cleaners. Fitted with side rollers, brush strips and squeegees. Working width: 300 mm.	:
Wet/dry floor nozzle, aluminium, DN 35	11	6.906-384.0	All-purpose aluminium nozzle (DN 35) with 370 mm working width. With height-adjustable side rollers, brush strips (6.903-064.0) and oil-resistant squeegees (6.903-081.0). Only for NT vacuum cleaners.	
Wet and dry floor nozzle, plastic Adv, DN 35, 400 mm	12	2.889-118.0	Multi-purpose nozzle (DN 35) for wet vacuum cleaning of large areas. The squeegee and brush can be replaced quickly and easily.	
Crevice nozzles			·	
Crevice nozzle, DN 35, plastic, 225 mm	13	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	
All-purpose brushes			1	-
All-purpose brush	14	6.900-425.0	All-purpose brush PPN_Bristle	

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 30/1 TACT L

1.148-201.0

		7	$\left \begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\$	
	2	4		
		Order no.	Description	
SUCTION NOZZLES				
Car cleaning nozzles				
Ergonomic car nozzle, ID 35, 100 mm	15	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	
Car nozzle, ID 35, 90 mm	16	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	17	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Suction brushes		1		
Suction brush	18	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 × 45 mm.	
SUCTION TUBES				
Suction tubes, stainless steel				
Suction tube, 2 x, NT, DN 35, 550 mm long, stainless steel, suitable for: NT 27/1, NT 30/1 Tact, NT 40/1 Ap, NT 48/1, NT 50/1 Tact	19	2.889-192.0	The suction tube set consists of 2 suction tubes made of high-quality stainless steel (DN 35 and 550 mm long each). For Kärcher wet and dry vacuum cleaners.	
Suction tubes, metal				
Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2		2.889-191.0	The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	21	2.889-134.0	dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	22		vacuum cleaners from Kärcher.	
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	23	2.889-136.0	for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	24	2.889-137.0	use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	25		vacuum cleaners.	
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	26	2.889-139.0	dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	27	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Custion have NT DN 40 length 4 m	20	2 000 1 41 0	The electrically conductive system base in nominal width DNL40 and with 4 m langth is witch is fare	_ 1

use with wet and dry vacuum cleaners.

The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for \Box

Included in the scope of supply. \Box Available accessories.

Suction hose, NT, DN 40, length 4 m,

electrically conductive, clip 2.0, bayonet 2.0

28 2.889-141.0

ACCESSORIES FOR NT 30/1 TACT L 1.148-201.0

		$\left \begin{array}{c} \hline \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ $	
	Order no	Description	
	order no.		
with	vacuum cleane	rs from model year 2017 on)	
29	2.889-142.0	The electrically conductive suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	
30	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	
31	2.889-149.0	Repair kit ID 35 for the new clip system.	
32	2.889-343.0	The electrically conductive extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	
33	2.889-154.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	
	1		
-		dust class H. For vacuuming hazardous dusts, coarse dirt and liquids.	
35	6.904-242.0	HEPA-13 (H13) flat pleated filter for Kärcher wet and dry vacuum cleaners. Suitable for vacuuming hazardous dusts, coarse dirt and liquids.	
36	6.904-287.0	Coarse dirt filter with perforated metal plate and foam seal to protect the turbines of most single-motor wet and dry vacuum cleaners from the Tact and Ap class from Kärcher.	
37	2.889-158.0	PE plastic sack for dust-free disposal.	
38	2.414-000.0	Wood cartridge filter made from textile material with PTFE coating and a brown label. For safely vacuuming large quantities of wood and fibre dust from dust classes M and L.	
39	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	
40	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	
tion			
41	2.889-151.0	Tool adapter with rubber attachment and false air rotating ring suitable for regulating suction power when working with power tools. Compatible with suction hoses with clip 2.0 connection in DN 35.	
42	2.637-595.0	Wet and dry accessory kit (DN 35) for Kärcher vacuum cleaners for use in trade and industry. The trade set comprises a multi-purpose brush, a crevice nozzle, an upholstery nozzle, a combi floor nozzle and a wet floor nozzle.	
	with 29 30 31 32 33 33 34 35 36 37 38 37 38 39 40 40 41 VAC	29 2.889-142.0 30 2.889-145.0 31 2.889-149.0 32 2.889-343.0 33 2.889-343.0 34 2.889-154.0 35 6.907-671.0 36 6.904-242.0 37 2.889-158.0 38 2.414-000.0 39 2.889-281.0 40 5.407-005.0 41 2.889-151.0	30 Order no. Description Image: Constraint of the second se

 \blacksquare Included in the scope of supply. $\hfill\square$ Available accessories.

KÄRCHER

ACCESSORIES FOR NT 30/1 TACT L

1.148-201.0



				_
		Order no.	Description	
TARGET-GROUP-SPECIFIC ACCESSORY KITS FOR	VAC	JUM CLEANERS	5	
Car cleaning accessory kit	43	2.862-166.0	Vehicle interior cleaning accessory kit in nominal width DN 35 for Kärcher wet and dry vacuum cleaners. The kit comprises various nozzles and adapter pieces in nominal widths DN 35 and DN 40.	
OTHER ACCESSORIES NT	-			
Drilling dust nozzle	44	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	
Cyclone preseparator CS 40 Me	45	2.863-026.0	The highly efficient CS 40 Me cyclone preseparator for all Kärcher wet and dry vacuum cleaners is a specially designed accessory for fine dust applications on construction sites or in industry.	
Attachment kit for CS 40 Me cyclone preseparator	46	2.863-027.0	The attachment kit for the CS 40 Me cyclone preseparator for wet and dry vacuum cleaners is a specially developed, highly efficient accessory for fine dust applications on constructions sites or in industrial applications.	
Adapter clip new on clip old DN 35	47	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	
Adapter for NT hoses with bayonet connection 1.0	48	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	

□ Available accessories.