

NT 30/1 AP L

Our NT 30/1 Ap L is a compact wet and dry vacuum cleaner in the middle class with excellent suction power, high-quality and long-lasting components and a wide variety of equipment.







Order no.


1.148-221.0

- Semi-automatic filter cleaningFlat pleated filter with filter casing
- Flexible hose and cable storage

hnical data

reennear aata		
EAN code	Ph / V / Hz 1 / 22 I/s 74 mbar / kPa 273 / I 30 Plastic	4054278048192
Supply voltage	Ph / V / Hz	1 / 220 - 240 / 50 - 60
Air flow	l/s	74
Vacuum	mbar / kPa	273 / 27.3
Container content	I	30
Container material		Plastic
Rated input power	W	max. 1380
Standard nominal width		ID 35
Cable length	m	7.5
Sound pressure level	dB(A)	70
Colour		anthracite
Weight without accessories	kg	11.8
Weight incl. packaging	kg	15.6
Dimensions (L × W × H)	mm	525 × 370 × 560

Equipment		_
Suction hose	m	2.5
Bend		Plastic
Suction tube	Piece(s) × mm	2 × 550 / Steel, chromed
Filter bag	Piece(s)	1 / Fleece
Wet/dry floor nozzle	mm	300
Crevice nozzle		
Automatic cut-out features at max. filling quality		•
Flat pleated filter		Paper
Filter cleaning		Semi-automatic filter cleaning Ap
Protection class		П
Stop swivel castor		
Included in the scope of supply.		





Semi-automatic filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.



Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- Transport-proof storage of the power cable.



Removable filter casing

- Permits dust-free removal of the filter.
- Effectively prevents incorrect insertion of the flat pleated filter.

ACCESSORIES FOR NT 30/1 AP L

1.148-221.0

1	2	3	4	5		7
8	9	10	11	12	13	14

		Order no.	Description	
FLAT PLEATED FILTER, STANDARD, BIA C OR UI Flat pleated filter, paper		JUST CLASS M		
Dry flat pleated filter	1	6.904-367.0	Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	3
Flat pleated filter, PES		1		
Wet & Dry flat pleated filter	2	6.907-662.0	Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	g 🗆
Flat pleated filter, PTFE		·		
Ultimate flat pleated filter	3	6.907-455.0	Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	
BENDS				
Bend, plastic				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	4	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	5	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	6	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	
SUCTION NOZZLES				
Floor nozzles				
Wet/dry floor nozzle, DN 35, 300 mm	7	2.899-691.0	DN 35 plastic wet/dry floor nozzle with side rollers. Brush strips and squeegees are easy to replace using a clip. Working width 300 mm.	e 🔳
Wet/dry floor nozzle, advanced plastic, DN 35	8	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	
Crevice nozzles				
Crevice nozzle, DN 35, plastic, 225 mm	9	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	
Car cleaning nozzles				
Ergonomic car nozzle, ID 35, 100 mm	10	2.889-356.0	Ergonomic and compact DN 35 car cleaning nozzle made from plastic with a working width of 100 mm for vehicle interior cleaning. Suitable for all wet and dry vacuum cleaners with DN 35 bends.	
Car nozzle, ID 35, 90 mm	11	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	
Rubber suction tools, nose 45°				
Rubber suction tool, nose 45°	12	6.902-104.0	45° rubber suction nozzle (DN 35), oil-resistant and suitable for vacuuming machines. Only for NT vacuum cleaners.	
Suction brushes			1	_
Suction brush	13	6.903-862.0	Rotatable suction brush (DN 35) with high-quality synthetic hair bristles. Dimensions of the brush attachment: 70 \times 45 mm.	
SUCTION TUBES				
Suction tubes, metal				
Suction tube, 2 x, NT, DN 35, 550 mm long, chrome-plated steel, suitable for: NT 27/1, NT 30/1, NT 40/1, NT 50/1, NT 55/1, NT 65/2, NT 75/2	14	2.889-191.0	The suction tube set consists of 2 chrome-plated steel suction tubes for Kärcher wet and dry vacuum cleaners, nominal width DN 35 and each suction tube is 550 mm long.	-

Included in the scope of supply. \Box Available accessories.

ACCESSORIES FOR NT 30/1 AP L 1.148-221.0

			$ \begin{array}{c} \begin{array}{c} \begin{array}{c} \begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \end{array}\\ \left(\begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \left(\begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \left(\begin{array}{c} \end{array}\\ \end{array}\\ \end{array}\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array}\\ \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}\\ \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}) \left(\begin{array}{c} \end{array}) \left(\begin{array}{c} \end{array})\\ \left(\begin{array}{c} \end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left(\end{array}) \left$	
		Order no.	Description	
SUCTION HOSES				
Suction hoses with clip system 2.0 (compatible	with	vacuum cleane	rs from model year 2017 on)	
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	15	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 35, length 4 m, clip 2.0, bayonet 2.0	16	2.889-135.0	The suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	17	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 35, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	18	2.889-137.0	The electrically conductive suction hose in nominal width DN 35 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 40, length 4 m, clip 2.0, bayonet 2.0	19	2.889-138.0	The suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
Suction hose, NT, DN 40, length 2.5 m, clip 2.0, bayonet 2.0	20	2.889-139.0	The suction hose in nominal width DN 40 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 40, length 4 m, oil-resistant, clip 2.0, bayonet 2.0	21	2.889-140.0	The oil-resistant suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	
Suction hose, NT, DN 40, length 4 m, electrically conductive, clip 2.0, bayonet 2.0	22	2.889-141.0	The electrically conductive suction hose in nominal width DN 40 and with 4 m length is suitable for use with wet and dry vacuum cleaners.	
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	23	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	
Repair kit for suction hoses DN 35, Clip 2.0	24	2.889-149.0	Repair kit ID 35 for the new clip system.	
FILTER BAGS				
Fleece filter bags, 5 Piece(s), NT 30/1	25	2.889-154.0	Tear-resistant 3-layer fleece filter bags of dust class M, suitable for Kärcher wet and dry vacuum cleaners. Contents: 5-pack.	
FILTER T/ NT				
Fabric filter				
Membrane filter, NT 30/1, NT 40/1, NT 50/1	26	2.889-281.0	Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	
CONNECTING SLEEVES				
Connection adapter C ID (clip to cone)				
Adapter clip DN 35 on cone DN 35	27	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	
OTHER ACCESSORIES NT				
Drilling dust nozzle				

■ Included in the scope of supply. □ Available accessories.

ACCESSORIES FOR NT 30/1 AP L 1.148-221.0



		Order no.	Description	
OTHER ACCESSORIES NT				
Adapter clip new on clip old DN 35	29	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	
Adapter for NT hoses with bayonet connection 1.0	30	5.031-436.0	Electroconductive adapter for connecting NT hoses with bayonet 1.0 connection of nominal widths DN 35, 40, 50 to the new accessory system for wet and dry vacuum cleaners from Kärcher.	

■ Included in the scope of supply. □ Available accessories.