

## **MULTIFUNCTIONAL SPRAY GUN**

The simple multi-functional spray gun with 3 spraying patterns: Shower, point and cone jet. Thanks to the lockable trigger, it is ideal for continuous watering of many different plants.











Order no.

2.645-266.0

| Technical data         |    |                |  |
|------------------------|----|----------------|--|
| EAN code               |    | 4054278047515  |  |
| Colour                 |    | Yellow         |  |
| Weight                 | kg | 0.1            |  |
| Weight incl. packaging | kg | 0.2            |  |
| Dimensions (L × W × H) | mm | 215 × 57 × 113 |  |

| Equipment                          |   |
|------------------------------------|---|
| Number of spray patterns           | 3 |
| Locking at handle                  |   |
| Water flow regulation              |   |
| Self-draining function             |   |
| Spraying pattern: cone jet         |   |
| Spraying pattern: point jet        |   |
| Spraying pattern: sprinkler        |   |
| ■ Included in the scope of supply. |   |

#### **KARCHER**



#### **Ergonomic control valve**

Regulation of the flow rate with one hand.

#### Easy locking of the trigger handle

■ For convenient and continuous watering.

### Three continuously adjustable spraying patterns: Shower, point and cone jet

Ideal for watering (cone jet and shower) and cleaning (point jet).

#### **COMPATIBLE MACHINES**

- HBX 4.20 Automatic
- HR 2.10 Set ■ HR 3
- HR 3.20 Set
- HR 4
- HR 4.30 Set
- HT 2
- HT 2.20 Set
- HT 3
- HT 3.20 Set
- HT 4

- HT 4.20 Set
- HT 5 M
- HT 5.20 M Set
- HT 6 M
- Hose Hanger
- Hose Hanger Plus



# ACCESSORIES FOR MULTIFUNCTIONAL SPRAY GUN 2.645-266.0









|   |   | Order no.   | Description   |   |  |  |
|---|---|-------------|---|---|--|--|
| HOSES                                   |   |             |   |   |  |  |
| PrimoFlex® hose 1/2" - 20 m             | 1 | 2.645-138.0 | The PrimoFlex* (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health Bursting pressure: 24 bar. | □ |  |  |
| HOSE CONNECTION SYSTEMS                 |   |             |   |   |  |  |
| Universal Hose Connector with Aqua Stop | 2 | 2.645-192.0 | Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.   |   |  |  |
| G3/4 tap adaptor with G1/2 reducer      | 3 | 2.645-006.0 | Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.   |   |  |  |
| Universal Hose Connector                | 4 | 2.645-191.0 | Ergonomically designed universal hose coupling for convenient handling.   |   |  |  |

lacksquare Included in the scope of supply.  $\Box$  Available accessories.