




Premium spray lance

Robust, long-lasting premium spray lance in top equipment. For watering small and medium-sized areas. Diverse areas of use - from ground-level watering to working above head height.




1 6 spray patterns

- For watering as required



2 Telescopic lance (70-105 cm)

- For all applications



3 One-hand flow control and ON/OFF function

- For easy and convenient handling



4 Movable spray nozzle (180°)

- Different spray angles for targeted watering.



Premium spray lance

Technical data

Order no.		2.645-137.0
EAN code		4039784426368
Weight	kg	0.5
Weight incl. packaging	kg	0.53
Dimensions (L x W x H)	mm	780 × 150 × 66

Equipment

Cone jet	■
Spray mist	■
Horizontal flat jet	■
Aerator jet	-
Point jet	■
Sprinkler	■
Vertical flat jet	■

PREMIUM SPRAY LANCE

2.645-137.0



		Order no.					Price	Description	
Hoses									
PrimoFlex® Premium hose 1/2" - 20 m	1	2.645-150.0						20 m PrimoFlex® Premium quality garden hose (1/2"). With patented dual-reinforcement technology. Contains no substances that are harmful to health. Bursting pressure: 50 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose connection systems									
Premium universal hose coupling	2	2.645-195.0						Premium universal hose coupling made of metal. Comes with a robust hose clamp made of corrosion-free aluminium and soft plastic recessed grips. Compatible with all click systems.	<input type="checkbox"/>
Premium universal hose coupling with Aqua Stop	3	2.645-196.0						Premium universal hose coupling made of metal. Comes with Aqua Stop and a robust hose clamp made of corrosion-free aluminium and soft plastic recessed grips. Compatible with all click systems.	<input type="checkbox"/>
G3/4 tap adaptor with G1/2 reducer	4	2.645-006.0						Extremely tough tap connector 3/4" thread with 1/2" thread reducer. The reducer allows connection to two thread sizes. Compatible with all click systems.	<input type="checkbox"/>

Available accessories.